




INVENTO TCS 626E - truck tyre changer 26"





INVENTO TCS 626E is a heavy-duty truck tire changer designed for professional mounting and demounting of tires for **trucks, buses and commercial vans**. It supports rim sizes from **14" to 26"**, with a maximum tire diameter of **1600 mm** and a maximum tire width of **800 mm**, making it suitable for a wide range of large vehicle wheels.

Description

INVENTO TCS 626E is a heavy-duty truck tire changer designed for professional mounting and demounting of tires for **trucks, buses and commercial vans**. It supports rim sizes from **14" to 26"**, with a maximum tire diameter of **1600 mm** and a maximum tire width of **800 mm**, making it suitable for a wide range of large vehicle wheels.

The machine features a **self-centering chuck**, a **sliding table** for wheel positioning, and a **bead breaking disc** to handle demanding tire beads efficiently. Operation is managed from a **mobile control unit**, allowing the operator to work from a safe and convenient position around the machine, with controls for arm movement, carriage/table travel and chuck rotation direction.

To support safe and reliable work, the TCS 626E includes key protection elements such as an **emergency stop**, hydraulic safety components (including a **pressure relief valve set at 130 bar ±10%** and check valves), and motor protection to reduce the risk of overload-related issues. The specified noise level during operation is **below 70 dB(A)**.

Key Features

- Designed for truck, bus and commercial vehicle tires
- Rim handling range: **14"-26"**
- Self-centering chuck for secure clamping
- Bead breaking disc for efficient bead loosening
- Mobile control unit for flexible operator positioning

- Emergency stop and hydraulic safety protections
- Low operating noise: < 70 dB(A)

Technical data

5906288320265

Parameter	Value
Rim clamping range	14" – 26"
Max. tire diameter	1600 mm (63")
Max. tire width	800 mm (31")
Max. wheel weight	550 kg
Pump motor	1.1 kW (3Ph) / 1.5 kW (1Ph)
Gearbox motor	2.2 kW
Net weight	600 kg
Noise level	< 70 dB(A)

Warranty: 12 months

