





INVENTO EL S 40ME 230V - 4 T - Two-post lift



INVENTO EL S40ME 230V is an **manual**(one-side release) electro-hydraulic lift with a lift capacity of **4 tonnes**.

Description

INVENTO EL S40ME 230v two-post lift is an **FULL automatic** electrohydraulic lift. **The arms length is 1 137 mm and 4-tonne load capacity enable lifting cars, SUVs and smaller vans.** Free access to wheels and chassis makes it a versatile tool for workshop work.

Key information about the lift:

- arm length 1 137 mm (2-stage front and rear arms)
- **manual**(one-side release) / semi-automatic
- the low sill between the posts protects the steel cable that synchronises the lift
- 1-stage adjustable lifting pad

- car door protection on the post
- automatic arm-locking system
- adaptors 70mm included with lift
- **230V power supply**

EL S40ME lift is equipped with the necessary safety features required for obtaining CE marking. This guarantees long and safe work in the workshop. Technicians installing the lift have UDT certificates.

The lift is designed for installation in covered, enclosed spaces that are free of obstacles. Operating temperature range from -10°C to 40°C.

Installation requirement:

Variant No. 1

- Min. floor strength: C20/25 and min. thickness: 150 mm
- Installation area: 1.5 m from the anchorage

Variant No. 2

- Min. floor strength: C20/25 and min. thickness: 150 mm 250 mm
- Ground slab 4,000 x 2,000 mm

Technical data

5906288321286

Lifting capacity	4 000 kg
Lifting height	1 900 mm
Minimum height	100 mm
Arm length	797- 1 137 mm
Post height	2 824 mm
Width between posts	2 830 mm
Total width	3 392 mm
Lifting time	75 s
Electric power supply	400V/50 Hz
Power	2,2 kW

Warranty: 12 months

